QL
C24

Natural History Museum Library
000107031

Ins Room

1.3.10.

Coleopterorum Catalogus

auspiciis et auxilio

W. Junk

editus a

S. Schenkling.

Pars 10:

E. Olivier

Rhagophthalmidae, Drilidae.

Einzel-Preis: Mark 1.—
Subscriptions-Preis: Mark —.65

W. Junk
Berlin W. 15, Kurfuerstendamm 201.
17. II. 1910.

W. JUNK, Berlin W. 15.

Coleopterorum Catalogus.

Pars 1: **R. Gestro,** Rhysodidae. 1910. 11 p.
(Mark 1) Mk. 0.65

2: **F. Borchmann,** Nilionidae, Othniidae, Aegialitidae, Petriidae, Lagriidae. 1910. 32 p.
(Mark 3) Mk. 2.—

3: **F. Borchmann,** Alleculidae. 1910. 80 p.
(Mark 7.50) Mk. 5.—

4: **M. Hagedorn,** Ipidae. 1910. 134 p.
(Mark 12.75) Mk. 8.50

5: **R. Gestro,** Cupedidae, Paussidae. 1910. 31 p.
(Mark 3) Mk. 2.—

6: **H. Wagner,** Curculionidae: Apioninae. 1910. 81 p.
(Mark 7.50) Mk. 5.—

7: **H. von Schönfeldt,** Brenthidae. 1910. 57 p.
(Mark 5.25) Mk. 3.50

8: **G. van Roon,** Lucanidae. 1910. 70 p.
(Mark 6.50) Mk. 4.35

9: **E. Olivier,** Lampyridae. 1910. 68 p.
(Mark 6.35) Mk. 4.25

Coleopterorum Catalogus

auspiciis et auxilio

W. Junk

editus a

S. Schenkling.

Pars 10:

E. Olivier

BRITISH MUSEUM
Z S D
NATURAL HISTORY

Rhagophthalmidae, Drilidae.

W. Junk
Berlin W. 15, Kurfuerstendamm 201.
1910.

Druck von A. Hopfer in Burg b. M.

Fam. Rhagophthalmidae.

Auct. **E. Olivier.**

Dioptoma Pasc.

Pascoe, Journ. Ent. I, 1860, p. 118.

Adamsi Pasc. l. c. t. 5, f. 2. — Gorh. Ann. Soc. Ent. Belg. XXXIX, 1895, p. 310. — Gahan, Proc. Ent. Soc. Lond. 1908, p. XLVIII ♀ Trans. Ent. Soc. Lond. 1912. p. 718-19. pl. 86. — Dacca, Nilghiri, Ceylon — Green,

1
atrispennis Pic, Mel 18. 1916. p. 8. — S. India. Madura. Ceylon.

Greeni Gah. Proc. Ent. Soc. Lond 1912 (1913) p. CXVIII.

Ochotyra Pasc.

Pascoe, Journ. Ent. I, 1862, p. 323.

semiusta Pasc. l. c. t. 16, f. 7. — Gorh. Ann. Soc. Ent. Belg. XXXIX, 1895, p. 310. — Malabar, Nilghiri, Ceylon,

7 obscura Pic, Mél 33. 1921. p. 18. — India. Coromandel

1

Rhagophthalmus Motsch.

Motschulsky, Et. Ent. 1859, p. 59.

brevipennis Fairm. Notes Leyd. Mus. XVIII, 1896, p. 227. — Bengale

gibbosulus Fairm. Ann. Soc. Ent. Fr. LXVIII, 1899, p. 624. — Chine

giganteus Fairm. Ann. Soc. Ent. Belg. XXXII, 1888, p. 25. — Yünnan

ingens Fairm. Notes Leyd. Mus. XVIII, 1896, p. 227. — Chine

scutellatus Motsch. Et. Ent. 1853, p. 45; 1859, t. 1, f. 12 u. 12¹. — Pekin

sumatrensis Ern. Oliv. Ann. Mus. Genova XXII, 1885, p. 372. — Sumatra

tonkineus Fairm. Ann. Soc. Ent. Fr. (6) VIII, 1888, p. 352. — Tonkin

7
9
notaticollis Pic, Mel. 18. 1916. p. 9. — Ceylon

Fam. Drilidae.

Auct. E. **Olivier.**

Drilides Lacordaire, Gen. Col. IV, 1857, p. 368.
Drilini Gemminger et Harold, Cat. Col. VI, 1869, p. 1684.
Drilidae Ern. Olivier, Gen. Ins. (Wytsman) Lamp. 1907, p. 1.

Biologie: Mielzinsky, Mémoires sur une larve qui dévore l'*Helix nemoralis* et sur l'insecte auquel elle donne naissance (Ann. Sc. Nat. I, 1824, p. 67—77, t. 7, f. 1—11; Mém. Soc. Phys. Genève II, 2, 1824, p. 1, t. 1; Isis 1825, IV, p. 477). — Desmarest, Ann. Sc. Nat. II, 1824, p. 257, t. 15, f. 1, 2; Bull. Soc. philom. Paris 1824, p. 57—62, t. 1, f. 9, 10. — Latreille, Note sur un Mémoire de Mr. Ignace Mielzinsky (Ann. Sc. Nat. 1824, p. 78—80). — Audouin, Ann. Sc. Nat. II, 1824, p. 443—459, t. 15; Isis 1830, IV, p. 443. — Guérin-Méneville, Mag. Zool. 1833, Ins. nr. 99, fig. — Westwood, Introd. to the mod. Class. of Insects I, 1839, p. 247, f. 16—18. — Lucas, Expl. Algér. Ent. 1849, t. 17, f. 9a, g. — Rouget, Cat. Col. Côte d'Or 1854, p. 148. — Lacordaire, Gen. Col. IV, 1857, p. 369. — Mulsant, Mollip. 1862, p. 422, f. 19—21. — Bellevoye, Remarques sur le *Drilus flavescens* (Bull. Soc. Ent. Fr. 1870, p. XXXVI). — Lucas, Ann. Soc. Ent. Fr. (5) I, 1871, p. 19—28. — Bourgeois Fne Gallo-rhén. Malac. 1894, p. 92. — Bayford, Ent. monthly Mag. XVII, 1906, p. 267. — Crawshay, Trans. Ent. Soc. 1903. p. 39-51. pl.

Malacogaster Bassi.

Bassi, Mag. zool. 1833, Cl. IX, t. 99. — Lacord. Gen. Col. IV, 1857, p. 371.

adustus Chevr. Rev. zool. 1854, p. 433, t. 6, f. 5a—d.	Syrie
akbesianus Fairm. Bull. Soc. Ent. Fr. 1895, p. CX.	„
Bassii Luc. Ann. Soc. Ent. Fr. (5) I, 1871, p. 23, t. 1, f. 3, 4.	Algérie
nigripes Schauf. Stett. Ent. Zeit. XXVIII, 1867, p. 85.	Valencia
Passerinii Bassi, Mag. zool. 1832, Cl. IX, t. 99. — Jacq. du Val, Gen. Col. III, 1859—63, p. 164, t. 40, f. 198.	Sicile
var. *thoracicus* Redt. Fn. Austr. ed. II, 1858, p. 525.	
rufipes Baudi, Berl. Ent. Zeit. XV, 1871, p. 62.	Chypre
tilloïdes Woll. Cat. Col. Canar. 1864, p. 215.	Iles Canaries
Truquii Baudi, Berl. Ent. Zeit. XV, 1871, p. 62.	Chypre

Ceylanidulus. Thor subtrapezoform, arcuate in front, trans & ly sulcate at base, post. angles feebly marked. Ant distant, jelliform, 2nd joint short, 1st, 3rd equal, rest rather longer. Last joint of palpi short & subovoid. El as wide as thorax, somewhat dense at apex. Legs strong flattened 1st tarsal short penult strongly lobed. Tacalla Hormadelia. Stiff, subcum

C. bipartitus. Un pen allongé, légèrement rétrécie at both ends, brillant, black with basal fog el., head smooth testaceous. Ant legs reddish, Penult strong & close. of elytra dense & partly rufulose. 4-5 mill

both Ceylon

Falsophaeopteron

near Phaeopteron. like Ceylanidrilus but ant. closer, body more elegate, tarsi longer most thickened also near Euanomo Reitt

F. fraterpeni testaceous, [illegible] extreme tibiae [illegible] brownish. el. black with small red humeral spot 2 basal jnts of ant. reddish, el. non carbate pronth with strong median impress [illegible] Scutell long. 5½–7 mm

Darjeeling.

Dalosilis Pic. Ext. 27

Mandib. v. long. last just [illegible]

Subcultriform, elongate, almost appendiculate at apex. Ant. short & thick, jutting forwards transverse & more or less prolonged in front. Proth. transv. with a large velocity on each side, emergence behind it. Claws simple, Pygid. large, truncate at apex.

Thor. strongly approaches Sclis. near Laemoglyptus Fam.

Dimentaweiensis. Pen. all right, black, mandib. & mouth fore reddish & [illegible] sets partly yellow. 7 mill.

[illegible]

Drilus G. A. Oliv.

G. A. Olivier, Ent. II, 23, 1790. — Lacord. Gen. Col. IV, 1857, p. 372.

Cochleoctonus Mielzinsky, Ann. Sc. Nat. I, 1824, p. 74.

amabilis Schauf. Stett. Ent. Zeit. XXVIII, 1867, p. 85.	Menorca
bicolor Schauf. l. c. p. 83.	Syrie
concolor Ahr. Neue Schr. Nat. Ges. Halle II, 2, 1812, p. 13, t. 1, f. 4d. — Kiesw. Nat. Ins. Deutschl. IV, 1861, p. 567. — Muls. Mollip. 1862, p. 485.	Europe
ater Aud. Ann. Sc. Nat. II, 1824, p. 459, t. 15, f. 23. — Motsch. Bull. Mosc. XII, 1839, p. 81, t. 5, f. h ♂♀.	
pectinatus Gyll. in Schönh. Syn. Ins. I, 3, App. 1817, p. 12.	
creticus Pic, L'Echange XXI, 1905, p. 170.	Crête
distincticollis Pic, L'Echange XXIII, 1907, p. 129.	Ile de Zante
flavescens G. A. Oliv. Ent. II, 23, 1790, p. 4, t. 1, f. 1a—e. — Rossi, Fn. Etr. I, 1790, p. 51. — F. Ent. Syst. II, 1792, p. 243. — J. du Val, Gen. Col. III, 1859—63, p. 163, t. 40, f. 196 ♂, 197 ♀. — Kiesw. Nat. Ins. Deutschl. IV, 1861, p. 566. — Muls. Mollip. 1862, p. 478, f. 19♂, 20♀, 21 larva.	Europe
parisinus Thunb. Nov. Act. Ups. V, 1792, p. 93.	
serraticornis Marsh. Ent. Brit. I, 1802, p. 374.	
♀ *vorax* Mielz. Ann. Soc. Nat. I, 1824, p. 75, t. 7, f. 6—8.	
var. *flabellatus* Kiesw. Berl. Ent. Zeit. III, 1859, p. 158.	
frontalis Schauf. Stett. Ent. Zeit. XXVIII, 1867, p. 84.	Asie mineure
fulvicollis Aud. Ann. Sc. Nat. II, 1824, p. 460, t. 15, f. 24. — Cast. Hist. Nat. Col. I, 1840, p. 270.	France mérid. Dalmatie
venustus Guér. Ic. règne an. 1829, p. 48, t. 15, f. 1 a—c.	
ruficollis Guér. l. c. p. 48.	
fulvicornis Kiesw. Berl. Ent. Zeit. III, 1859, p. 159.	Grèce
fulvitarsis Baudi, Berl. Ent. Zeit. XV, 1871, p. 120.	Caucase
funebris Reitt. Best. Tab. XXIX, 1894, p. 6.	Crète
fusculus Boh. Ins. Caffr. I, 2, 1851, p. 450.	Natal
kandyanus Bourg. Ann. Soc. Ent. Fr. LXXII, 1903, p. 481.	Ceylan
latithorax Pic, L'Echange XVIII, 1902, p. 24.	Asie mineure
longulus Kiesw. Berl. Ent. Zeitschr. III, 1859, p. 159.	Crète
concolor var. Muls. Mollip. 1862, p. 286.	
mauritanicus Luc. C. rend. Ac. Sc. Paris 1842, p. 1187; Rev. Zool. 1842, p. 386; Expl. Alg. Ent. 1849, p. 176, t. 17, f. 7—8.	Algérie
novoathonius Sumakow, Wien. Ent. Zeit. XXII, 1903, p. 48.	Caucase
obscuricornis Pic, Proc. verb. Soc. Hist. nat. Autun 1899, p. 205.	Asie mineure
posticus Schauf. Stett. Ent. Zeit. XXVIII, 1867, p. 83.	Syrie
ramosus Fairm. Natur. 1883, p. 205; Ann. Soc. Ent. Fr. 6 (III) 1883, p. 94.	Abyssinie
rectus Schauf. Stett. Ent. Zeit. XXVIII, 1867, p. 83.	Syrie
Reitteri Bourg. Bull. Soc. Ent. Fr. 1908, p. 241.	„
Schwarzi Reitt. Wien. Ent. Zeit. X, 1891, p. 246.	Dalmatie

Paradrilus Kiesw.

Kiesenwetter, Berl. Ent. Zeitschr. X, 1866, p. 244.

opacus Kiesw. Berl. Ent. Zeitschr. IX, 1865, p. 369; X, 1866, p. 244, t. 1, f. 3. — Espagne

1

Drilaster Kiesw.

Kiesenwetter, Deutsch. Ent. Zeitschr. XXIII, 1879, p. 310.

axillaris Kiesw. l. c. p. 311. — Japon
unicolor Lewis, Ann. Mag. Nat. Hist. XVI, p. 115. — „

2

Drilonius Kiesw.

Kiesenwetter, Berl. Ent. Zeitschr. XVIII, 1874, p. 282.

striatulus Kiesw. l. c. — Japon

1

Cerocosmus Gemm.

Gemminger, Col. Hefte XI, 1873, p. 146.

Cosmocerus Sol. in Gay, Hist. Chile IV, 1849, p. 476. — Lacord. Gen. Col. IV, 1857, p. 374 (nec Guér.).

cinereus Sol. l. c. t. 11, f. 13. — Chili

1

Heliotis is correct name for

Heliotis Cast.

Castelnau, Silb. Rev. IV, 1836, p. 18.

Hopei Cast. l. c.; Hist. Nat. Col. I, 1840, p. 257. — Nouvelle Hollande

1

Selasia Cast.

Castelnau, Silb. Rev. IV, 1836, p. 19. — Lacord. Gen. Col. IV, 1857, p. 375.

Euptilia Westw.

Biol. Farquharson + Poulton, Trans. Ent. Soc. 1921.

asperulipennis Fairm. Ann. Soc. Ent. Belg. XXXVII, 1893, p. 23. — Choa
basalis Gorh. Ann. Soc. Ent. Belg. XXXIX, 1895, p. 307. — Inde
decipiens Guér. Sp. et Ic. An. art. fasc. II, nr. 6, 1829, p. 3, f. 12—17. — Inde orient.
fulva Gorh. Ann. Mus. Genova XVIII, 1883, p. 596. — Abyssinie
Horni Bourg. Ann. Soc. Ent. Fr. LXXIV, 1905, p. 130. — Ceylan
Isabellae Bourg. l. c. 1909, p. 434, t. 12, f. 6. — „
kilimana Kolbe, Deutsch-Ost-Afrika IV, Col. 1897, p. 219. — Afrique orient.

laticeps Pascoë, Ann. Mag. Nat. Hist. XX, 1887, p. 11.		Bombay
Maindroni Bourg. Ann. Soc. Ent. Fr. LXXII, 1903, p. 482.		Inde mérid.
minuta Kolbe, Mitth. Mus. Hamburg XIV, 1897, p. 91.		Afrique orient.
pallida Péringuey, Trans. S. Afric. Phil. Soc. IV, 1888, t. 2, f. 4.		Delagoa Bay
pulchella Gestro, Ann. Mus. Genova XIII, 1878, p. 319.		Abyssinie
pulchra Pascoë, Ann. Mag. Nat. Hist. XX, 1887, p. 11, t. 1, f. 8.		Delagoa Bay
rhipiceroïdes Cast. Silb. Rev. IV, 1836, p. 19; Hist. Col. I, 1840, p. 257. — Guér. Sp. et Ic. An. art. fasc. II, nr. 6, 1829, p. 2, f. 1—8.		Sénégal
Robecchii Gestro, Ann. Mus. Genova (2) XII, 1892, p. 759.		Somalis
unicolor Guér. Sp. et Ic. An. art. fasc. II, nr. 6, 1829, p. 3, f. 9—11.		Sierra Leone
Widenmanni Kolbe, Deutsch-Ost-Afrika IV, Col. 1897, p. 219.		Afrique orient.

17

Laemoglyptus Fairm.

Fairm. Ann. Soc. Ent. Fr. 6 (VI), 1886, p. 334.

fissiventris Fairm. l. c. p. 335.	Mou-Pin

1

Stenocladius Fairm.

Fairm. Ann. Soc. Ent. Fr. (5) VIII, 1878, p. 112.

Hydaspes Bourg. Ann. Soc. Ent. Fr. (6) X, 1890, p. 171.

Andrewesi Gorh. Ann. Soc. Ent. Belg. XXXIX, 1895, p. 307 ♂♀.	Inde
Bourgeoisi Gorh. l. c. p. 308.	„
Davidi Fairm. Ann. Soc. Ent. Fr. (5) VIII, 1878, p. 113.	Chine centr.
Fairmairei Bourg. Ann. Soc. Ent. Fr. (6) X, 1890, p. 172.	Cochinchine
vittatus Gorh. Ann. Soc. Ent. Belg. XLVII, 1903, p. 331.	Inde

5

Eugeusis Westw.

Westw. Trans. Ent. Soc. Lond. 1853, p. 238. — Lacord. Gen. Col. IV, 1857, p. 376.

nigripennis Pascoë, Ann. Mag. Nat. Hist. XX, 1887, p. 10, t. 1, f. 7.	Burmah
palpator Westw. Trans. Ent. Soc. Lond. 1853, p. 238, t. 12, f. 5. — Gorh. Ann. Soc. Ent. Belg. XXXIX, 1895, p. 309.	Ceylan, Inde Bengale

2

Anadrilus Kirsch.

Kirsch, Mitth. Mus. Dresden I, 1875, p. 37.

indus Kirsch l. c.	Malacca

1

Haplogeusis Bourg.

Bourg. Ann. Soc. Ent. Fr. 1909, p. 434.

ceylanica Bourg. l. c. p. 435, t. 12, f. 7. — Ceylan
distincta Bourg. l. c. p. 436, t. 12, f. 8. — „

2

Diplocladon Gorh.

Gorh. Notes Leyden Mus. V, 1883, p. 5.

Haplocladon Gorh. l. c. p. 249.

Hasselti Gorh. Notes Leyd. Mus. V, 1883, p. 6; l. c. p. 250. — Sumatra, Java
indicum Gorh. Ann. Soc. Ent. Belg. XLVII, 1903, p. 330. — Inde

2

Dodecatoma Westw.

Westw. Guér. Sp. et Ic. An. art. fasc. VI, nr. 16, 1843. — Lacord. Gen. Col. IV, 1857, p. 377.

bicolor Westw. l. c. f. 1—5. — Deccan
fuscicornis Gorh. Ann. Soc. Ent. Belg. XXXIX, 1895, p. 309. — Inde

2

Pachytarsus Motsch.

Motsch. Bull. Mosc. XXXIV, 1861, I, p. 133.

basalis Motsch. l. c. p. 135. — Ceylan
lateralis Motsch. l. c. p. 134, t. 9, f. 15. — „
testaceus Motsch. l. c. p. 135. — „

3

Cyphonocerus Kiesw.

Kiesenwetter, Deutsch. Ent. Zeitschr. XXIII, 1879, p. 311.

ruficollis Kiesw. l. c. p. 312. — Japon

1

Cydistus Bourg.

Bourg. Bull. Soc. Ent. Fr. 1885, p. 37; Ann. Soc. Ent. Fr. (6) V, 1885, p. 272.

Reitteri Bourg. Bull. Soc. Ent. Fr. 1885, p. 38; Ann. Soc. Ent. Fr. (6) V, 1885, p. 273, t. 5, f. 5; Bull. Soc. Ent. Fr. 1908, p. 211. — Syrie
Zurcheri Bourg. Bull. Soc. Ent. Fr. 1908, p. 211. — Pic, Echange XXIV, 1908, p. 88. — Adana
Reitteri Reitt. Wien. Ent. Zeit. XXVII, 1908, p. 133, fig. (nec Bourg.).

2

Hellotis is correct name for
Helvetis Cast.

Phrixothrix Ern. Oliv.

Ern. Oliv. Bull. Soc. Ent. Fr. 1909, p. 344.

hirtus Ern. Oliv. l. c. p. 345. Paraguay
pallens Berg, An. Soc. cient. Argent. 1885, p. 232. Uruguay
uruguayensis Berg, Bull. Soc. Ent. Fr. 1886, p. 59. „
3

Telegeusis Horn.

Horn, Proc. Ac. Calif. (2) V, 1895, p. 242.

debilis Horn, l. c. p. 243. Californie
1
79

Index Drilidarum.

Genera.

Anadrilus Kirsch 7

Cerocosmus Gemm. 6
Cochleoctonus Mielz. 5
Cosmocerus Sol. 6
Cydistus Bourg. 5
Cyphonocerus Kiesw. 8

Diplocladon Gorh. 8
Dodecatoma Westw. 8
Drilaster Kiesw. 6
Drilonius Kiesw. 6
Drilus G. A. Oliv. 5

Eugeusis Westw. 7
Euptilia Westw. 6

Haplocladon Gorh. 8
Haplogeusis Bourg. 8
Heliotis Cast. 6.
Hydaspes Bourg. 7

Laemoglyptus Fairm. 7

Malacogaster Bassi 4

Pachytarsus Motsch. 8
Paradrilus Kiesw. 6
Phrixothrix Ern. Oliv. 9

Selasia Cast. 6
Stenocladius Fairm. 7

Telegeusis Horn 9

Species, Varietates.

adustus Chevr. 4
akbesianus Fairm. 4
amabilis Schauf. 5
Andrewesi Gorh. 7
asperulipennis Fairm. 6

ater Aud. 5
axillaris Kiesw. 6

basalis Gorh. (Sel.) 6
basalis Motsch. (Pach.) 8

Bassii Luc. 4
bicolor Schauf. (Dril.) 5
bicolor Westw. (Dod.) 8
Bourgeoisi Gorh. 7

ceylanica Bourg. 8
cinereus Sol. 6
concolor Ahr. 5
creticus Pic 5

Davidi Fairm. 7
debilis Horn 9
decipiens Guér. 6
distincta Bourg. 8
distincticollis Pic 5

Fairmairei Bourg. 7
fissiventris Fairm. 7
flabellatus Kiesw. 5
flavescens G. A. Oliv. 5
frontalis Schauf. 5
fulva Gorh. 6
fulvicollis Aud. 5
fulvicornis Kiesw. 5
fulvitarsis Baudi 5
funebris Reitt. 5
fuscicornis Gorh. 8
fusculus Boh. 5

Hasselti Gorh. 8
hirtus Ern. Oliv. 9
Hopei Cast. 6
Horni Bourg. 6

indicum Gorh. 8
indus Kirsch 7
Isabellae Bourg. 6

kandyanus Bourg. 5
kilimana Kolbe 6

lateralis Motsch. 8
laticeps Pasc. 7
latithorax Pic 5
longulus Kiesw. 5

Maindroni Bourg. 7
mauritanicus Luc. 5
minuta Kolbe 7

nigripennis Pasc. 7
nigripes Schauf. 4
novoathonius Sum. 5

obscuricornis Pic 5
opacus Kiesw. 6

pallens Berg 9
pallida Péring. 7
palpator Westw. 7
parisinus Thunb. 5
Passerinii Bassi 4
pectinatus Gyll. 5
posticus Schauf. 5
pulchella Gestro 7
pulchra Pasc. 7

ramosus Fairm. 5
rectus Schauf. 5
Reitteri Bourg. (Cyd.) 8
Reitteri Bourg. (Dril.) 5
Reitteri Reitt. (Cyd.) 8
rhipiceroïdes Cast. 7
Robecchii Gestro 7
ruficollis Kiesw. (Cyph.) 8
ruficollis Guér. (Dril.) 5
rufipes Baudi 4

Schwarzi Reitt. 5
serraticornis Marsh. 5
striatulus Kiesw. 6

testaceus Motsch. 8
thoracicus Redt. 4
tilloïdes Woll. 4
Truquii Baudi 4

unicolor Guér. (Sel.) 7
unicolor Lewis (Dril.) 6
uruguayensis Berg 9

venustus Guér. 5
vittatus Gorh. 7
vorax Mielz. 5

Widenmanni Kolbe 7

Zurcheri Bourg. 8

2/84